DBS Initial Consultation Questionnaire: Tremor UCLA Neurosurgical Movement Disorders Program

| Tremor Histo | <u>ry</u> | | | | | | | | | |
|--------------------|--|------------------------|---------------------|----|--|--|--|--|--|--|
| At what a | age did you first notice you h | ad a tremor? | | | | | | | | |
| When did | When did it start getting so bad that it interfered with your quality of life? | | | | | | | | | |
| Have you | ı ever been told you might h | ave: | | | | | | | | |
| | Parkinson's Disease | | Yes | No | | | | | | |
| | Multiple Sclerosis | | Yes | No | | | | | | |
| Does you | r tremor improve when you | consume alcohol? | Yes | No | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| <u>Medications</u> | | | | | | | | | | |
| What me | edications do you currently to | ake for your tremor (C | OK to attach list)? | | | | | | | |
| | Name | Dose | Schedule | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | - | | | | | | | | | |
| | | | | | | | | | | |
| What othe | er medications have you trie | d in the past? | | | | | | | | |
| | Name | Maximum Dose | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

Symptom Questionnaire

Please rate each symptom on a scale 1-10 as indicated

| | Scale: | | | | | | | | | | |
|-----|--|---|--------|---|---------------|------------------|---|------|-------------------------|----|----|
| | Not at a problem at all | | | | | Moderate Problem | | | <u>Dominant Problem</u> | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 1. | Tremor | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | When do you tremor? | | At res | t | With movement | | | Both | Never/Not applicable | | |
| | Which side tremors more? | | Left | | Right | | | | | | |
| | What tremors more? | | Arm | | Leg | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 2. | Slowness /bradykinesia | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | Which side is more "slow"? | | Left | | Right | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 3. | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | Which side is more "stiff"? | | Left | | Right | | | | | | |
| | | | | | | | | | | | |
| | - 1: 0%p.l | 4 | 2 | 2 | | _ | 6 | - | 0 | • | 10 |
| 4. | Feeling Off Balance | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | | | | | | | | | | | |
| 5 | Changes in memory | 1 | 2 | 2 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| Э. | Changes in memory | 1 | 2 | 3 | 4 | 3 | U | , | 0 | 9 | 10 |
| | | | | | | | | | | | |
| 6 | Falls | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 0. | | | | | | | | | Ü | 3 | 10 |
| | How often do you fall (e.g., once a week)? | | | | | | | | | | |
| 7. | Urine/stool incontinence | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| , . | | - | _ | 3 | • | 3 | J | • | J | 3 | 10 |

Other potential medical/psychological issues

Do you have or have you ever had?

Depression Yes No If yes, are you current having symptoms?

Yes

No

If yes, are you being treated?

Yes

No

Hallucinations Yes No

If yes, are you current having hallucinations?

Yes

No

No

If yes, were these medication related?

Yes

Vision Loss

Yes No

Quality of Life

Are your tremor symptoms affecting your quality of life?

Yes

No

What activity do you want to do that you currently cannot because of your tremor?

What prevents you from doing this activity?

Is there someone who helps you with your daily life? Who?_____

Please rate yourself on these activities that affect your daily life

1. Speaking:

0 = Normal

1 = Mild voice tremulousness when nervous only.

- 2 = Mild voice tremor, constant.
- 3 = Moderate voice tremor.
- 4 = Severe voice tremor. Some words difficult to understand.

2. **Feeding** – solid foods:

- 0 = Normal
- 1 = Mildly abnormal. Can bring all solids to mouth, spilling only rarely.
- 2 = Moderately abnormal. Frequent spills of peas and similar foods. May bring head at least halfway to meet food.
- 3 = Marked abnormal. Unable to cut or uses two hands to feed.
- 4 = Severely abnormal. Needs help to feed.

3. **Feeding** – liquids:

- 0 = Normal
- 1 = Mildly abnormal. Can still use a spoon, but not if it is completely full.
- 2 = Moderately abnormal. Unable to use a spoon. Uses cup or glass.
- 3 = Markedly abnormal. Can drink from cup or glass, but needs two hands.
- 4 = Severely abnormal. Must use a straw.

4. Hygiene:

- 0 = Normal
- 1 = Mildly abnormal. Able to do everything, but more careful than average person.
- 2 = Moderately abnormal. Able to do everything but with errors; uses electric razor because of tremor.
- 3 = Markedly abnormal. Unable to do most fine tasks, such as putting on lipstick or shaving (even with electric shaver), unless using two hands.
- 4 = Severely abnormal. Unable to do any fine-movement tasks.

5. **Dressing**:

- 0 = Normal
- 1 = Mildly abnormal. Able to do everything, but is more careful than the average person.
- 2 = Moderately abnormal. Able to do everything, but with errors.
- 3 = Markedly abnormal. Needs some assistance with buttoning or other activities such as tying shoelaces.
- 4 = Severely abnormal. Requires assistance even for gross motor activities.

6. Writing:

- 0 = normal
- 1 = Mildly abnormal. Legible. Continues to write letters.
- 2 = Moderately abnormal. Legible but no longer writes letters.
- 3 = Markedly abnormal. Illegible.
- 4 = Severely abnormal. Unable to sign checks or other documents requiring signature.

7. Working:

- 0 = Tremor does not interfere with the job.
- 1 = Able to work but need to be more careful than the average person.
- 2 = Able to do everything, but with errors. Poorer than usual performance because of tremor.
- 3 = Unable to do regular job. May have changed to a different job because of tremor. Tremor limits housework, such as ironing.
- 4 = Unable to do any outside job; housework very limited.

8. Social activities:

- 0 = No changes
- 1 = Minimal change in social activities, still socializing.
- 2 = Moderate change in social activities, avoiding encounters with strangers.
- 3 = Marked change in social activities, avoiding encounters with friends.
- 4 = Severe change in social activities, avoiding any public encounters.